

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62,39

Wholesale
PRICE LIST
1943

LIBRARY
1943
U. S. Department of Agriculture

VISSEER'S NURSERIES

MERRICK ROAD
SPRINGFIELD GARDENS
Long Island, N. Y.

TELEPHONE LAURELTON 8-1118

Nurseries also at
HIGBIE LANE
BABYLON, L. I.

PRICES in this list are net.
F. O. B. our Nurseries, subject
to change without notice.

*STOCK especially selected will
be priced according to value.*

— MEMBER OF —
LONG ISLAND NURSERYMEN'S ASSOCIATION AMERICAN ASSOCIATION OF NURSERYMEN

This Catalogue cancels all previous quotations.

PRICES in this list are net, F. O. B. our Nurseries, subject to change without notice.

STOCK especially selected will be priced according to value.

TERMS. Cash.

TRUCKING and PACKING is additional at cost.

BALLING and BURLAPPING

B. & B., ball and burlap:—is free of charge with all evergreens and also with deciduous stock where specified, "B & B." A charge will be made for digging deciduous stock with ball and burlap where not specified, "B. & B.", as per the following schedule:—

| Shrubs | Trees |
|-----------------|-------------|
| 2 to 3 ft. | \$.25 |
| 3 to 4 ft. | .30 |
| 4 to 5 ft. | .40 |
| 5 to 6 ft. | .60 |
| | Diam. ball |
| | 15 in. |
| | 18 in. |
| | 24 in. |
| | 30 in. |
| | 36 in. |
| | 42 in. |
| | \$1.00 |
| | 1.75 |
| | 2.50 |
| | 4.00 |
| | 6.00 |
| | 10.00 |

PLATFORMS:—The cost of the platforms is in addition to above prices, but will be rebated, if returned to our Nursery.

CONTENTS

| | |
|---|----|
| Coniferous and Broadleaved Evergreens | 4 |
| Deciduous Trees and Shrubs | 21 |
| Roses | 32 |
| Vines | 36 |
| Fruit Trees | 37 |
| Hardy Herbaceous Perennials | 38 |
| Peat Moss | 38 |
| Reed Mats | 38 |
| Fertilizers | 38 |
| Berry Bearing Trees and Shrubs | 38 |
| Index | 40 |

CONIFEROUS and BROADLEAVED EVERGREENS

| | |
|--------------------------|----------------------|
| ABELIA grandiflora | <i>Glossy Abelia</i> |
| 15-18 in. potgrown | .60 |
| 1½-2 ft. potgrown | .75 |
| 2-2½ ft. potgrown | .90 |
| ABIES arizonica | <i>Cork Fir</i> |
| 3-4 ft. | 2.00 |
| 4-5 ft. | 3.00 |
| balsamea | <i>Balsam Fir</i> |
| 4-5 ft. | 3.00 |
| 8-10 ft. | 7.00 |
| concolor | <i>White Fir</i> |
| 12-15 in. | .70 |
| 3-4 ft. | 2.50 |
| 4-5 ft. | 3.50 |
| 7-8 ft. | 7.00-9.00 |

(see PSEUDOTSUGA, page 13)

| | |
|---------------|-------------------|
| homolepis | <i>Nikko Fir</i> |
| 7-8 ft. | 6.00 |
| veitchii | <i>Veitch Fir</i> |
| 4-5 ft. | 3.00 |
| 6-7 ft. | 4.50 |

ANDROMEDA

(see LEUCOTHOE, page 11)

(see PIERIS, page 12)

AZALEA amoena — *magenta*

| | |
|-----------------|------|
| 12-15 in. | 1.00 |
| 15-18 in. | 1.25 |
| 2½-3 ft. | 3.00 |
| 3-3½ ft. | 4.00 |

flame — *orange red*

| | |
|-----------------|------|
| 12-15 in. | 1.00 |
| 18-24 in. | 1.75 |
| 2½-3 ft. | 3.00 |
| 3-3½ ft. | 3.50 |

hinamoyo — *soft pink*

| | |
|-----------------|------|
| 12-15 in. | 1.20 |
|-----------------|------|

hinodegiri — *red*

| | |
|-----------------|------|
| 8-10 in. | .75 |
| 10-12 in. | 1.00 |
| 12-15 in. | 1.30 |
| 15-18 in. | 1.70 |
| 18-21 in. | 2.20 |
| 24 in. | 3.00 |

kaempferi — *orange red*

Torch Azalea

nearly deciduous

| | |
|----------------|------|
| 2-2½ ft. | 2.50 |
|----------------|------|

carmen — *delicate rose*

| |
|---------------------------|
| fedora — <i>deep rose</i> |
|---------------------------|

othello — *old brick red*

| | |
|----------------|------|
| 1½-2 ft. | 2.00 |
|----------------|------|

| | |
|----------------|------|
| 2-2½ ft. | 3.00 |
|----------------|------|

AZALEA

| | | |
|---|------|-----------------------|
| ledifolia alba (Indica alba) — <i>white</i> | | |
| 12-15 in. | 1.30 | |
| 15-18 in. | 1.70 | |
| 1½-2 ft. | 2.20 | |
| 2-2½ ft. | 2.75 | |
| 2½ ft. | 3.25 | |
| —lilacina — <i>blush, fading to white</i> | | |
| 2-2½ ft. | 2.75 | |
| 2½ ft. | 3.25 | |
| —magnifica — <i>white with pink blotch</i> | | |
| 1½-2 ft. | 2.20 | |
| macrantha — <i>salmon red</i> | | |
| 15-18 in. spread | 1.60 | |
| 18-21 in. spread | 2.00 | |
| maxwelli — <i>deep rose</i> | | |
| 15-18 in. | 1.70 | |
| 18-24 in. | 2.40 | |
| —alba — <i>white</i> | | |
| 15 in. | 2.00 | |
| poukhanensis — <i>lilac</i> | | <i>Korean Azalea</i> |
| 12-15 in. | 1.20 | |
| 15-18 in. | 1.60 | |
| 1½-2 ft. | 2.20 | |
| snow — <i>pure white, double</i> | | |
| 8-10 in. | .80 | |
| 10-12 in. | 1.00 | |
| 12-15 in. | 1.50 | |
| 18 in. | 2.50 | |
| yayegiri — <i>salmon red, semi double</i> | | |
| 18-21 in. | 2.20 | |
| yodogawa — <i>lavender, double</i> | | |
| 24 in. | 2.25 | |
| BERBERIS ilicifolia | | <i>Holly Barberry</i> |
| 2½-3 ft. | 1.50 | |
| juliana | | |
| 15-18 in. | .75 | |
| —nana | | |
| 12-15 in. | .50 | |
| verruculosa | | <i>Warty Barberry</i> |
| 10-12 in. | .60 | |

BIOTA ORIENTALIS

(see THUJA ORIENTALIS, page 20)

| | | |
|----------------------|-----------|-------------------------|
| BUXUS japonica | | <i>Japanese Boxwood</i> |
| <i>PYRAMIDS</i> | | |
| 36 in. | 3.50 | |
| 39 in. | 4.00-5.00 | |
| 42 in. | 5.00 | |
| micropylla | | <i>Korean Boxwood</i> |
| 12-15 in. broad | .60 | |
| 15-18 in. broad | .90 | |
| 18-21 in. broad | 1.50 | |

BUXUS

| | | |
|--------------------------------|-----------|----------------|
| sempervirens (<i>BUSHES</i>) | | <i>Boxwood</i> |
| 8-10 in. | .25 | |
| 10-12 in. | .35 | |
| 12-15 in. | .40 | |
| 12-15 in. extra heavy | .60 | |
| 15-18 in. slender | .80 | |
| 15-18 in. extra heavy | 1.00 | |
| 18-21 in. slender | 1.00 | |
| 18-21 in. | 1.50 | |
| 21-24 in. slender | 1.50 | |
| 21-24 in. heavy | 2.00 | |
| 24-27 in. slender | 2.00 | |
| 24-27 in. heavy | 2.50 | |
| 30-33 in. | 4.00-5.00 | |
| 36-39 in. | 6.00-8.00 | |

GLOBES

| | |
|-------------|------|
| 18 in. | 2.50 |
|-------------|------|

PYRAMIDS

| | |
|-------------|-----------|
| 21 in. | 1.50 |
| 24 in. | 1.80 |
| 27 in. | 2.20 |
| 30 in. | 2.60 |
| 33 in. | 3.00 |
| 36 in. | 3.50 |
| 39 in. | 4.00-5.00 |

sempervirens *handsworthi aurea**Golden Handsworth Boxwood*

| | |
|----------------|------|
| 8-10 in. | .30 |
| 10-12 in. | .50 |
| 12-15 in. | 1.00 |

—*myrtifolia**Myrtleleaf Boxwood*

| | |
|--------------|-----|
| 6-7 in. | .20 |
|--------------|-----|

suffruticosa

True Dwarf Boxwood

| | |
|--------------------------------|-----------|
| 3-4 in. bare roots | .06 |
| 4-5 in. bare roots | .08 |
| 5-6 in. bare roots | .12 |
| 5-6 in. heavy, bare roots | .16 |
| 6-8 in. heavy, bare roots | .30 |
| 8-10 in. B & B | .60 |
| 10-12 in. B & B | .80-1.00 |
| 15-18 in. B & B | 1.80-2.50 |
| 18-21 in. B & B | 2.50-3.00 |
| 21-24 in. B & B | 3.00-4.00 |
| 24-27 in. B & B | 4.00-6.00 |

CALLUNA vulgaris

Heather

| | |
|----------------------|-----|
| 6-8 in. 3 years | .30 |
|----------------------|-----|

CEDRUS atlantica *glauca**Blue Atlas Cedar*

| | |
|--------------------------------------|-----------|
| 5-6 ft. frequently transplanted | 4.00 |
| 7-8 ft. " " " | 5.00-6.00 |
| 8-9 ft. " " " | 6.00-8.00 |

| | | |
|---------------------------------|-------|------------------------|
| CEDRUS deodara | | Deodar Cedar |
| 8-10 ft. | | 10.00-12.00 |
| 12-14 ft. | | 16.00-20.00 |
| libani | | Cedar of Lebanon |
| 5-6 ft. | | 4.00 |
| CEPHALOTAXUS fortunei | | Chinese Plum Yew |
| 2½-3 ft. | | 2.50 |
| CHAMAECYPARIS lawsoniana alumni | | Blue Lawson Cypress |
| 3-3½ ft. | | 2.00 |
| CHAMAECYPARIS (RETINOSPORA) | | |
| obtusa gracilis | | Slender Hinoki Cypress |
| 2-2½ ft. | | 1.50 |
| 2½-3 ft. | | 1.80 |
| 3-3½ ft. | | 2.50 |
| 4-4½ ft. | | 3.50 |
| — compacta | | Compact Hinoki Cypress |
| 1½-2 ft. | | 2.00 |
| 2-2½ ft. | | 2.50 |
| 2½-3 ft. | | 3.50 |
| — nana | | Dwarf Hinoki Cypress |
| 8 in. | | .90 |
| 10 in. | | 1.10 |
| 12 in. | | 1.50 |
| 15 in. | | 2.20 |
| 18 in. | | 3.00 |
| 24 in. | | 4.00 |
| — youngi | | Young Golden Cypress |
| 4-5 ft. | | 3.50 |
| pisifera aurea | | Golden Sawara Cypress |
| 2½-3 ft. | | 1.60 |
| 3-4 ft. | | 2.20 |
| 7-8 ft. | | 6.00 |
| — filifera | | Thread Cypress |
| 3-3½ ft. | | 2.25 |
| 3½-4 ft. | | 3.00 |
| — aurea | | Golden Thread Cypress |
| 15-18 in. | | 1.50 |
| 1½-2 ft. | | 2.00 |
| 2-2½ ft. | | 2.50 |
| pisifera plumosa | | Plume Cypress |
| 2-2½ ft. | | 1.20 |
| 2½-3 ft. | | 1.40 |
| 3-3½ ft. | | 1.70 |
| 3½-4 ft. | | 2.20 |
| 4-5 ft. | | 3.00 |
| 5-6 ft. | | 4.50 |
| — aurea | | Golden Plume Cypress |
| 15-18 in. | | .90 |
| 1½-2 ft. | | 1.00 |
| 2-2½ ft. | | 1.20 |
| 2½-3 ft. | | 1.50 |
| 3-3½ ft. | | 2.00 |
| 3½-4 ft. | | 2.50 |
| 4-5 ft. | | 3.00 |
| 5-6 ft. | | 4.50 |

CHAMAEGYPARIS

| | |
|---|-----------------------------------|
| — — <i>aurea compacta</i> | <i>Goldust Cypress</i> |
| 12-15 in. | .80 |
| 15-18 in. | 1.00 |
| 1½-2 ft. | 1.20 |
| 2-2½ ft. | 1.50 |
| — — <i>lutescens</i> | <i>Dwarf Yellow Plume Cypress</i> |
| 12-15 in. | .70 |
| 15-18 in. | 1.00 |
| 1½-2 ft. | 1.50 |
| 2-2½ ft. | 2.00 |
| <i>squarrosa veitchi</i> | <i>Veitch Moss Cypress</i> |
| 15-18 in. | .90 |
| 1½-2 ft. | 1.00 |
| 2-2½ ft. | 1.20 |
| 2½-3 ft. | 1.50 |
| 3-3½ ft. | 2.00 |
| <i>thyoides andelyensis</i> | <i>Andely Retinospora</i> |
| 3-4 ft. | 2.25 |
| COTONEASTER, <i>adpressa precox</i> | |
| Probably the most gracefull of speading | |
| Contoneasters in the fall heavily loaded with large | |
| bright red berries. | |
| 6-8 in. potgrown | .40 |
| 8-10 in. potgrown | .50 |
| 10-12 in. potgrown | .65 |
| 12-15 in. potgrown | .80 |
| 15-18 in. potgrown | 1.20 |
| <i>franchetti</i> | <i>Franchet Cotoneaster</i> |
| 2-2½ ft. potgrown | .90 |
| <i>horizontalis</i> | <i>Rock Cotoneaster</i> |
| 12-15 in. potgrown | .70 |
| 15-18 in. potgrown | .80 |
| 1½-2 ft. potgrown or B & B | 1.25 |
| <i>microphylla</i> | <i>Rockspray Contoneaster</i> |
| 15-18 in. potgrown | .60 |
| <i>salicifolia</i> | <i>Willow-leaf Cotoneaster</i> |
| 15-18 in. potgrown | .60 |
| CRYPTOMERIA <i>japonica lobbi</i> | |
| | <i>Lobb Cryptomeria</i> |
| 6-7 ft. | 3.00 |
| 7-8 ft. | 4.50 |
| 8-10 ft. | 8.00-12.00 |
| 10-12 ft. | 10.00-14.00 |
| DAPHNE <i>cneorum</i> | <i>Rose Daphne</i> |
| 6-8 in. | .40 |
| 8-10 in. | .50 |
| 10-12 in. | .70 |
| EUONYMUS <i>radicans</i> | <i>Wintercreeper</i> |
| 1½-2 ft. heavy | .50 |
| — <i>carrieri</i> | <i>Glossy Wintercreeper</i> |
| 15-18 in. | .50 |
| — <i>coloratus</i> | <i>Purple Wintercreeper</i> |
| 1½-2 ft. 2 years | .30 |

EUONYMUS radicans

| | |
|----------------------|--------------------------------------|
| —minimus (kewensis) | <i>Baby Wintercreeper</i> |
| 1½-2 ft. | .40 |
| —variegatus | <i>Variegated Leaf Wintercreeper</i> |
| 10-12 in. | .30 |
| —vegetus | <i>Big Leaf Wintercreeper</i> |
| 12-15 in. | .30 |
| 15-18 in. bushy | .45 |
| | (<i>HEDERA helix</i> , see page 37) |

ILEX cornuta bufordi *Bufo's Chinese Holly*

| | |
|---------------|-----------------------|
| 2-2½ ft. | 2.25 |
| crenata | <i>Japanese Holly</i> |
| 2-2½ ft. | 2.00 |
| 2½-3 ft. | 2.50 |
| 3-4 ft. | 3.00-3.50 |
| 4-5 ft. | 4.00-5.00 |

—trimmed and shaped into flat trees

TABLEFORM

| | |
|---------------------------------|----------------------------|
| 15 in. high, 2 ft. spread | 2.50 |
| 15 in. high, 2½ ft. spread | 3.00 |
| 18 in. high, 3 ft. spread | 3.50 |
| —convexa (bullata) | <i>Boxleaf Japan Holly</i> |
| 10-12 in. | .60 |
| 12-15 in. | .80 |
| 15-18 in. | 1.20 |
| 1½-2 ft. | 1.80 |
| 2-2½ ft. | 2.50 |
| 2½-3 ft. | 3.00 |

—helleri *Mushroom Holly*

Evergreen holly, grows slow and compact into a mushroom shape. The width is from two to three times its height. It requires no shearing.

| | |
|-------------------------------|----------------------------------|
| 4-6 in. spread, potgrown | .25 |
| 6-8 in. spread | .40 |
| 8-10 in. spread | .60 |
| 10-12 in. spread | .90 |
| 12-15 in. spread | 1.50 |
| 15-18 in. spread | 2.25 |
| 18-24 in. spread | 3.00 |
| 2-2½ ft. spread | 4.00 |
| 2½ ft. spread | 5.00 |
| —latifolia | <i>Large Leaf Japanese Holly</i> |
| 2-2½ ft. | 2.00 |
| 2½-3 ft. | 2.50 |
| 3-4 ft. | 3.00-3.50 |
| 4-5 ft. | 4.00-5.00 |
| —glabra | <i>Inkberry</i> |
| 15-18 in. | .90 |
| 1½-2 ft. | 1.25-1.50 |
| 2-2½ ft. | 1.50-2.00 |
| 2½-3 ft. | 2.50 |
| 3-3½ ft. | 3.00 |
| 3½-4 ft. | 4.00 |
| 4-5 ft. | 5.00 |

ILEX

opaca

AMERICAN HOLLY

Many marked male and female plants on hand.

Especially selected berried plants will
be priced according to selection.

| | |
|-----------|-------------|
| 1½-2 ft. | 1.20 |
| 2-2½ ft. | 1.50 |
| 2½-3 ft. | 2.00 |
| 3-4 ft. | 3.00 |
| 4-5 ft. | 4.00 |
| 5-6 ft. | 5.00 |
| 6-7 ft. | 5.00-7.00 |
| 7-8 ft. | 7.00-10.00 |
| 8-10 ft. | 10.00-15.00 |
| pernyi | Perny Holly |
| 12-15 in. | 1.10 |
| 15-18 in. | 1.50 |

JUNIPERUS chinensis albo variegata

White Leaf Chinese Juniper

| | |
|------------------|------------------------|
| 2½-3 ft. | 2.00 |
| —columnaris | Column Chinese Juniper |
| 3-4 ft. | 2.50 |
| 4-5 ft. | 3.00 |
| 5-6 ft. | 4.00 |
| 6-7 ft. | 5.00 |
| 7-8 ft. | 6.00 |
| —pfitzeriana | Pfitzer Juniper |
| 15-18 in. spread | 1.20 |
| 1½-2 ft. spread | 1.50 |
| 2-2½ ft. spread | 2.00 |
| 2½-3 ft. spread | 2.50 |
| 3-3½ ft. spread | 3.00 |
| 4-5 ft. spread | 4.50 |
| communis | Common Juniper |
| 1½-2 ft. | 1.50 |
| —aurea | Golden Common Juniper |
| 15-18 in. | 1.00 |
| 1½-2 ft. | 1.50 |
| 2-2½ ft. | 1.75 |
| —hibernica | Irish Juniper |
| 2½-3 ft. | 1.25 |
| 3-3½ ft. | 1.50 |
| 3½-4 ft. | 2.00 |
| excelsa stricta | Spiny Greek Juniper |
| 10-12 in. | .55 |
| 12-15 in. | .65 |
| 15-18 in. | .90 |
| 1½-2 ft. | 1.50 |
| 2-2½ ft. | 2.00 |
| 2½-3 ft. | 2.50 |
| 3-3½ ft. | 3.00 |
| 4-5 ft. | 4.00-5.00 |

JUNIPERUS

| | |
|--|---------------------------------|
| horizontalis Bar Harbor | <i>Bar Harbor Juniper</i> |
| 6-9 in. | .50 |
| 9-12 in. | .75 |
| 12-15 in. | 1.00 |
| — <i>glauca</i> | <i>Blue Creeping Juniper</i> |
| 15-18 in. | 1.00 |
| 1½-2 ft. | 1.50 |
| — <i>plumosa</i> | <i>Plumed Spreading Juniper</i> |
| 15-18 in. | .80 |
| 1½-2 ft. | 1.20 |
| <i>sabina</i> | <i>Savin Juniper</i> |
| 1½-2 ft. | 1.20 |
| <i>squamata meyeri</i> | <i>Meyer Juniper</i> |
| 12-15 in. | .80 |
| 15-18 in. | 1.20 |
| 1½-2 ft. | 1.50 |
| 2-2½ ft. | 2.00 |
| <i>virginiana</i> | <i>Red Cedar</i> |
| 3½-4 ft. | 1.75 |
| 4-5 ft. | 2.50 |
| 5-6 ft. | 3.00 |
| 6-7 ft. | 4.00 |
| 10-12 ft. specimen | 10.00-12.00 |
| — <i>glauca</i> | <i>Silver Red Cedar</i> |
| 3-3½ ft. | 2.00 |
| <i>KALMIA angustifolia</i> | <i>Sheep Laurel</i> |
| 12-15 in. | .60 |
| 15-18 in. | .75 |
| 1½-2 ft. | 1.00 |
| 2-2½ ft. | 1.50 |
| <i>latifolia</i> | <i>Mountain Laurel</i> |
| 15-18 in. | 1.00 |
| 1½-2 ft. | 1.20 |
| 2-2½ ft. | 1.60-2.00 |
| 2½-3 ft. | 2.50-3.00 |
| 3-3½ ft. | 3.00-4.00 |
| 3½-4 ft. | 4.00-5.00 |
| 4-5 ft. | 4.00-6.00 |
| (Collected compact clumps, with good balls of earth). | |
| 2 ft. | 1.00 |
| <i>LEIOPHYLLUM buxifolium</i> | <i>Box Sand Myrtle</i> |
| 9-12 in. | .70 |
| <i>LEUCOTHOE catesbaei</i> | <i>Drooping Leucothoe</i> |
| 12-15 in. | .60 |
| 15-18 in. | .80 |
| 1½-2 ft. | 1.20 |
| <i>LIGUSTRUM lucidum</i> | <i>Glossy Privet</i> |
| 2-2½ ft. | 2.50 |
| <i>MAHONIA aquifolium</i> | <i>Oregon Hollygrape</i> |
| 2-2½ ft. | 1.50 |

| | |
|-------------------------------------|-----------------------------|
| PACHISTIMA canbyi | <i>Canby Pachistima</i> |
| 4-6 in. potgrown | .20 |
| 8-10 in. | .40 |
| 15-18 in. | .75 |
| PACHYSANDRA terminalis | <i>Japanese Spurge</i> |
| 2 $\frac{1}{4}$ in. pots | .06 |
| 3 in. pots | .08-10 |
| PICEA excelsa | <i>Norway Spruce</i> |
| 1 $\frac{1}{2}$ -2 ft. | .75 |
| 2-2 $\frac{1}{2}$ ft. | .90 |
| 2 $\frac{1}{2}$ -3 ft. | 1.20 |
| 3-4 ft. | 1.50 |
| 4-5 ft. | 2.00 |
| 5-6 ft. | 3.00 |
| — <i>nidiformis</i> | <i>Birdnest Spruce</i> |
| 10 in. | 1.00 |
| <i>glauca conica</i> | <i>Dwarf Alberta Spruce</i> |
| 18 in. | 1.50 |
| 2 ft. | 3.00 |
| — <i>pungens</i> | <i>Colorado Spruce</i> |
| 1 $\frac{1}{2}$ -2 ft. | 1.00 |
| 2-2 $\frac{1}{2}$ ft. | 1.50 |
| 2 $\frac{1}{2}$ -3 ft. | 2.00 |
| 3-4 ft. | 2.50 |
| — <i>glauca</i> | <i>Colorado Blue Spruce</i> |
| 2-2 $\frac{1}{2}$ ft. | 2.25 |
| 2 $\frac{1}{2}$ -3 ft. | 3.00 |
| 3-4 ft. | 4.00 |
| — <i>kosteri</i> | <i>Koster's Blue Spruce</i> |
| 2 $\frac{1}{2}$ -3 ft. | 4.00 |
| 3-3 $\frac{1}{2}$ ft. | 4.50 |
| 3 $\frac{1}{2}$ -4 ft. | 5.00 |
| 4-4 $\frac{1}{2}$ ft. | 5.50 |
| 4 $\frac{1}{2}$ -5 ft. | 6.00 |
| 5-6 ft. | 7.50 |
| 6-7 ft. | 10.00 |
| — <i>pendula</i> | <i>Weeping Blue Spruce</i> |
| 3-3 $\frac{1}{2}$ ft. spread | 3.50 |
| PIERIS floribunda | <i>Mountain Andromeda</i> |
| 15-18 in. spread | 1.40 |
| 1 $\frac{1}{2}$ -2 ft. spread | 2.00 |
| 2-2 $\frac{1}{2}$ ft. spread | 2.50 |
| <i>japonica</i> | <i>Japanese Andromeda</i> |
| 12-15 in. | .80 |
| 15-18 in. | 1.20 |
| 1 $\frac{1}{2}$ -2 ft. | 1.60 |
| 2-2 $\frac{1}{2}$ ft. | 2.25 |
| 2 $\frac{1}{2}$ -3 ft. | 3.00 |
| PINUS densiflora | <i>Japanese Red Pine</i> |
| 2-3 ft. | 1.20 |
| 6-7 ft. | 5.00 |
| 8-10 ft. | 8.00-10.00 |

PINUS

—*umbraculifera* (Tanyosho)*Japanese Table Pine*

| | |
|---------------------|--------------------|
| 15-18 in. | 1.50 |
| 4-5 ft. spread | 5.00 |
| <i>koraiensis</i> | <i>Korean Pine</i> |
| 4-5 ft. | 4.00 |

| | |
|-----------------------|-------------------|
| 5-6 ft. | 5.00 |
| 6-7 ft. | 6.00 |
| <i>montana mughus</i> | <i>Mugho Pine</i> |
| 12-15 in. spread | 1.00 |

| | |
|-----------------------|------|
| 15-18 in. spread | 1.50 |
| 1½-2 ft. spread | 1.80 |
| 2-2½ ft. spread | 2.50 |
| 2½-3 ft. spread | 3.00 |

| | |
|--------------------------|---------------------------|
| <i>parviflora glauca</i> | <i>Japanese Blue Pine</i> |
| 3½-4 ft. | 3.00 |
| 5-6 ft. | 4.00 |

| | |
|----------------|-------------------|
| <i>strobos</i> | <i>White Pine</i> |
| 15-18 in. | .60 |
| 1½-2 ft. | .90 |
| 2-2½ ft. | 1.20 |
| 2½-3 ft. | 1.50 |
| 3-4 ft. | 2.00 |
| 10-12 ft. | 10.00-15.00 |
| 12-14 ft. | 12.00-20.00 |

| | |
|------------------|----------------------------|
| <i>thunbergi</i> | <i>Japanese Black Pine</i> |
| 1½-2 ft. | 1.50 |
| 2-2½ ft. | 1.75 |
| 2½-3 ft. | 2.00 |
| 3-4 ft. | 2.50 |
| 6-7 ft. | 6.00 |
| 7-8 ft. | 7.50 |
| 8-10 ft. | 10.00 |

| | |
|------------------------------|--------------------|
| <i>PSEUDOTSUGA douglasii</i> | <i>Douglas Fir</i> |
| 1½-2 ft. | 1.00 |
| 3-3½ ft. | 2.00 |
| 3½-4 ft. | 2.25 |
| 4-5 ft. | 2.75 |
| 5-6 ft. | 3.50 |

| | |
|------------------------------------|-------------------------|
| <i>PYRACANTHA coccinea lalandi</i> | <i>Laland Firethorn</i> |
| 2-3 ft. potgrown | 1.00-1.50 |
| 3-3½ ft. potgrown | 2.00-2.50 |

RETINOSPORA (see CHAMAECYPARIS page 7)

RHODODENDRON *carolinianum**Carolina Rhododendron*(Nursery Grown) well budded

| | |
|----------------|------|
| 12-15 in. | .90 |
| 15-18 in. | 1.25 |
| 1½-2 ft. | 1.80 |
| 2-2½ ft. | 2.50 |

| | |
|---------------|------------------------------------|
| <i>—alba</i> | <i>White Carolina Rhododendron</i> |
| 1½-2 ft. | 1.80 |
| 2-2½ ft. | 2.50 |

RHODODENDRON

| | |
|---|------------------------------------|
| catawbiense | <i>Catawba Rhododendron</i> |
| | (Nursery Grown) <u>well budded</u> |
| 15-18 in. | 1.25 |
| 1½-2 ft. | 2.00 |
| 2-2½ ft. | 2.50 |
| 2½-3 ft. | 3.00-4.00 |
| 3-3½ ft. | 3.00-5.00 |
| 3½-4 ft. | 4.00-6.00 |
| maximum | <i>Rosebay Rhododendron</i> |
| | (Nursery Grown) |
| 2-2½ ft. | 2.00 |
| 2½-3 ft. | 3.00 |
| 3-4 ft. | 3.50-4.00 |
| 4-5 ft. | 5.00-6.00 |
| 5-6 ft. | 6.00-8.00 |
| RHODODENDRON HYBRIDS, <u>well budded</u> | |
| ALBUM ELEGANS— <i>blush fading to white</i> | |
| 3-3½ ft. | 6.00 |
| 4-5 ft. | 10.00-12.00 |
| ALBUM NOVUM— <i>blush white</i> | |
| 1½-2 ft. | 2.50 |
| 3½-4 ft. | 6.00-8.00 |
| 4-5 ft. | 10.00-12.00 |
| AMERICA— <i>deep red</i> | |
| 2-2½ ft. | 3.50 |
| BOULE DE NEIGE— <i>pure white</i> | |
| 15-18 in spread | 3.00 |
| 1½-2 ft. spread | 4.00 |
| CARACTACUS— <i>red</i> | |
| 1½-2 ft. | 2.50 |
| CATAWBIENSE ALBUM— <i>white</i> | |
| 15-18 in | 2.00 |
| 1½-2 ft. | 3.00 |
| 2½-3 ft. | 5.00 |
| 3-3½ ft. | 6.00-8.00 |
| CHARLES BAGLEY— <i>cherry red</i> | |
| 2½-3 ft. | 5.00 |
| 3-3½ ft. | 5.00-7.00 |
| CHARLES DICKENS— <i>vivid scarlet</i> | |
| 15-18 in. | 2.00 |
| 1½-2 ft. | 3.00 |
| 2-2½ ft. | 4.00 |
| DR. H. C. DRESSELHUIS— <i>aniline red</i> | |
| 15-18 in. | 2.00 |
| 1½-2 ft. | 3.00 |
| 2-2½ ft. | 4.00 |
| 2½-3 ft. | 5.00-6.00 |
| E. S. RAND— <i>rich scarlet</i> | |
| 2-2½ ft. | 4.00 |
| H. W. SARGENT— <i>rich crimson</i> | |
| 2-2½ ft. | 4.00 |
| KETTLEDRUM— <i>deep red</i> | |
| 1½-2 ft. | 3.00 |
| 2-2½ ft. | 4.00 |

RHODODENDRON hybrids**LADY CLERMONT**—*red, black blotch*

| | |
|----------|------|
| 2-2½ ft. | 4.00 |
|----------|------|

MRS. C. S. SARGENT—*rosy red*

| | |
|-----------|-----------|
| 15-18 in. | 2.00 |
| 1½-2 ft. | 3.00 |
| 2-2½ ft. | 4.00 |
| 2½-3 ft. | 4.00-6.00 |

ROSEUM ELEGANS—*rose pink*

| | |
|----------|-------------|
| 2½-3 ft. | 5.00 |
| 3-3½ ft. | 6.00-7.00 |
| 3½-4 ft. | 7.00-9.00 |
| 4-5 ft. | 10.00-12.00 |

SCIADOPITYS *verticillata* *Umbrella Pine*

| | |
|----------|------|
| 1½-2 ft. | 2.00 |
| 2-2½ ft. | 2.50 |
| 2½-3 ft. | 3.00 |
| 3-3½ ft. | 3.50 |

TAXUS *baccata* *English Yew*

Very useful for city environments, retains its glossy dark foliage under most trying circumstances. Thrives splendidly in TUBS and WINDOW BOXES.

| | |
|-------------------|------|
| 15 in. very bushy | 1.00 |
| 18 in. very bushy | 1.25 |
| 21 in. very bushy | 1.50 |
| 24 in. very bushy | 2.00 |
| 2½-3 ft. | 2.50 |
| 3-3½ ft. | 3.00 |
| 3½-4 ft. | 3.50 |
| 5-6 ft. | 6.00 |
| 6-7 ft. | 7.00 |

—*aurea*

| | |
|----------|------|
| 2-2½ ft. | 1.50 |
| 2½-3 ft. | 2.00 |

—*hibernica* *Irish Yew*

| | |
|----------|-----------|
| 2-2½ ft. | 2.00 |
| 2½-3 ft. | 3.00 |
| 3-3½ ft. | 4.00 |
| 3½-4 ft. | 4.00-5.00 |

—*repandens* *Spreading English Yew*

| | |
|------------------|------------|
| 15-18 in. spread | 1.50 |
| 1½-2 ft. spread | 2.00 |
| 2-2½ ft. spread | 2.50 |
| 2½-3 ft. spread | 3.00 |
| 3-3½ ft. spread | 4.00 |
| 4-5 ft. spread | 7.50-10.00 |

cuspidata *Spreading Japanese Yew*

| | |
|------------------|-------------|
| 15-18 in. spread | 1.25 |
| 1½-2 ft. spread | 1.75 |
| 2-2½ ft. spread | 2.50 |
| 2½-3 ft. spread | 3.00 |
| 3-3½ ft. spread | 4.00 |
| 3½-4 ft. spread | 5.00 |
| 4-5 ft. spread | 6.00-9.00 |
| 5-6 ft. spread | 10.00-15.00 |
| 6-7 ft. spread | 15.00-25.00 |

TAXUS CUSPIDATA CAPITATA


Upright Japanese Yew

| | |
|------------------------|-------------|
| 15-18 in . | 1.00 |
| 1½-2 ft. | 1.25 |
| 2-2½ ft. slender | 1.50 |
| 2-2½ ft. regular | 2.00 |
| 2½-3 ft. regular | 2.25 |
| 3-3½ ft. slender | 2.50 |
| 3-3½ ft. regular | 3.00 |
| 3½-4 ft. regular | 3.50 |
| 4-5 ft. regular | 4.50 |
| 5-6 ft. regular | 6.00 |
| 6-7 ft. regular | 7.50 |
| 7-8 ft. regular | 9.00 |
| 7-8 ft. heavy | 10.00-12.00 |
| 8-9 ft. slender | 12.00 |
| 9-10 ft. | 15.00-20.00 |
| 10-11 ft. | 25.00-30.00 |
| 11-12 ft. | 27.50-36.00 |
| 12-13 ft. | 30.00-39.00 |
| 13 ft. | 39.00 |

TAXUS cuspidata columnaris

COLUMNAR JAPANESE YEW

| | |
|-------------------------------|------------------|
| 15-18 in. | 1.00 |
| 1½-2 ft. | 1.50 |
| 2-2½ ft. | 2.00 |
| 2½-3 ft. | 2.50 |
| 3-3½ ft. | 3.00 |
| 3½-4 ft. | 4.00 |
| 4-4½ ft. | 5.00 |
| 4½-5 ft. | 6.00 |
| 5-6 ft. | 7.00 |
| 6-7 ft. | 8.00 |
| 8-9 ft. 2½ ft. at base | 12.00-18.00 |
| 9-10 ft. 2½ ft. at base | 18.00-22.00 |
| 12 ft. 3½ ft. at base | 30.00 |
| 13 ft. 3½ ft. at base | 39.00 |
| —hatfieldi | |
| 4-4½ ft. | 6.00 |
| —hicksi | <i>Hicks Yew</i> |
| 1½-2 ft. | 1.50 |
| 2-2½ ft. | 2.00 |
| 2½-3 ft. | 2.50 |
| 3-3½ ft. | 3.50 |
| 3½-4 ft. | 4.00 |
| 4-4½ ft. | 5.00 |
| 4½-5 ft. | 6.00 |
| 5-6 ft. | 7.50-9.00 |
| 6-7 ft. | 10.00-12.00 |
| —hummeri | |
| 4-4½ ft. | 6.00 |
| 4½-5 ft. | 7.00 |
| 5 ft. | 7.50 |



TAXUS CUSPIDATA

CAPITATA

Upright Japanese Yew

Sheared Trees 12 ft.



| | |
|---|----------------------------------|
| TAXUS intermedia, spreading form | |
| 15-18 in. spread | 2.00 |
| 1½-2 ft. spread | 2.50 |
| 2-2½ ft. spread | 3.00 |
| 2½-3 ft. spread | 3.50 |
| — <i>nana</i> (<i>brevifolia</i>) | <i>Dwarf Japanese Yew</i> |
| 12-15 in. spread | 1.20 |
| 15-18 in. spread | 1.75 |
| 1½-2 ft. spread | 2.50 |
| 2-2½ ft. spread | 3.50 |
| 2½-3 ft. spread | 4.50 |
| THUJA occidentalis | <i>American Arborvitae</i> |
| 2½-3 ft. | 1.20 |
| 3-3½ ft. | 1.50 |
| 3½-4 ft. | 2.00 |
| 4-4½ ft. | 2.50 |
| 4½-5 ft. | 3.00 |
| 5-6 ft. | 3.50 |
| 8-10 ft. | 6.00-7.50 |
| 10-12 ft. | 7.50-9.00 |
| 12-14 ft. | 10.00-12.00 |
| — <i>alba</i> | <i>Queen Victoria Arborvitae</i> |
| 2-2½ ft. | 1.00 |
| 3½-4 ft. | 2.00 |
| — <i>columbia</i> | <i>Columbia Arborvitae</i> |
| 2½-3 ft. | 1.50 |
| 3½-4 ft. | 2.00 |
| 4-4½ ft. | 2.50 |
| — <i>compacta</i> | <i>Parsons Dwarf Arborvitae</i> |
| 12-15 in. | .70 |
| 15-18 in. | .80 |
| 1½-2 ft. | 1.00 |
| 2-2½ ft. | 1.50 |
| 2½-3 ft. | 2.00 |
| — <i>hoveyi</i> | <i>Hovey Arborvitae</i> |
| 15-18 in. | .80 |
| 1½-2 ft. | 1.00 |
| 2-2½ ft. | 1.50 |
| 2½-3 ft. | 2.00 |
| — <i>lutea</i> | <i>George Peaboy Arborvitae</i> |
| 2-2½ ft. | 1.00 |
| — <i>nigra</i> | <i>Dark American Arborvitae</i> |
| 2½-3 ft. | 1.20 |
| 3-3½ ft. | 1.50 |
| 3½-4 ft. | 2.00 |
| 4-4½ ft. | 2.50 |
| 4½-5 ft. | 3.00 |
| — <i>pyramidalis</i> | <i>Pyramidal Arborvitae</i> |
| 2½-3 ft. | 1.20 |
| 3-3½ ft. | 1.50 |
| 3½-4 ft. | 2.00 |
| 4-4½ ft. | 2.50 |
| 4½-5 ft. | 3.00 |
| 5-6 ft. | 3.50 |
| 6-7 ft. | 4.00 |
| 7-8 ft. | 5.00 |
| 8-10 ft. | 6.00-7.50 |



TAXUS cuspidata columnaris

COLUMNAR JAPANESE YEW

Columnar form of the Japanese Yew.
A distinct narrow growing type, with base only slightly wider than top, foliage is very dark, retaining its color all winter.

(see page 16)

THUJA occidentalis

| | |
|---------------------|-------------------------------------|
| —rosenthali | <i>Rosenthal's Arborvitae</i> |
| 4-4½ ft. | 3.00 |
| 4½-5 ft. | 3.50 |
| 5-6 ft. | 4.00 |
| —spiralis | <i>Spiral Arborvitae</i> |
| 3½-4 ft. | 2.00 |
| —orientalis (BIOTA) | <i>Oriental Arborvitae</i> |
| 2½-3 ft. | 1.20 |
| 3-4 ft. | 1.50 |
| 4-5 ft. | 2.50 |
| 5-5½ ft. | 3.00 |
| —aurea nana | <i>Berckman's Golden Arborvitae</i> |
| 10-12 in. | .60 |
| 12-15 in. | .70 |
| 15-18 in. | .90 |
| 18-21 in. | 1.25 |
| 21-24 in. | 1.60 |
| 2-2½ ft. | 2.25 |
| 2½ ft. | 3.00 |
| 3 ft. | 3.50-5.00 |
| 3½ ft. | 5.00-6.00 |
| —beverleyensis | <i>Beverly Arborvitae</i> |
| 4½-5 ft. | 3.00 |
| 5-6 ft. | 3.50 |
| 6-6½ ft. | 4.00 |
| —compacta | <i>Dwarf Oriental Arborvitae</i> |
| 2-2½ ft. | 1.20 |
| 2½-3 ft. | 1.50 |
| 3-3½ ft. | 2.00 |
| 3½-4 ft. | 2.50 |
| —plicata (lobbi) | <i>Giant Arborvitae</i> |
| 3½-4 ft. | 2.00 |
| 7-8 ft. | 5.00 |

TSUGA canadensis

Canada Hemlock

| | |
|-----------|------------|
| 15-18 in. | .75 |
| 1½-2 ft. | 1.20 |
| 2-2½ ft. | 1.50 |
| 2½-3 ft. | 1.80 |
| 3-4 ft. | 2.50 |
| 4-5 ft. | 3.50 |
| 5-6 ft. | 5.00-6.00 |
| 6-7 ft. | 6.00-7.50 |
| 7-8 ft. | 7.50-10.00 |

| | |
|----------------|--------------------------------|
| —pendula | <i>Sargent Weeping Hemlock</i> |
| 2-2½ ft. | 3.50 |
| 2½-3 ft. | 4.00 |
| 3-4 ft. | 5.00 |
| 4-5 ft. spread | 7.50-10.00 |

| | |
|-------------|-------------------------|
| caroliniana | <i>Carolina Hemlock</i> |
| 2½-3 ft. | 2.00 |
| 3-4 ft. | 3.00 |
| 6-7 ft. | 7.00 |

VIBURNUM burkwoodii

| | |
|-----------------------|-----------------------------|
| 2-2½ ft. | 2.00 |
| <i>rhytidophyllum</i> | <i>Leatherleaf Viburnum</i> |
| 2½-3 ft. | 2.00 |
| 3-3½ ft. | 2.75 |
| VINCA minor | <i>Periwinkle</i> |
| 2¼ in. pots | .06 |
| —Bowles' Variety | |
| 3 in. pots | .10 |

DECIDUOUS TREES AND SHRUBS

ACANTHOPanax pentaphyllum

Five-leaved Aralia

| | | | |
|-----|-----|-------|-----|
| 3-4 | ft. | | .35 |
| 4-5 | ft. | | .50 |

ACER palmatum atropurpureum

Red Japanese Maple

| | | |
|--------------------|-------------|-----------|
| 2-2½ ft. (grafted) | B & B | 2.00 |
| 2½-3 ft. (grafted) | B & B | 2.50 |
| 3-4 ft. (grafted) | B & B | 3.50-4.50 |
| 4-5 ft. (grafted) | B & B | 5.00-8.00 |
| 7-8 ft. (grafted) | B & B | 25.00 |

—dissectum purpureum

Purple Cutleaf Japanese Maple

2½ ft. spread B & B 3.00

platanoides

Norway Maple

| | | |
|----------------------------------|----------|------|
| 2-2 $\frac{1}{4}$ | in. cal. | 3.00 |
| 2 $\frac{1}{4}$ -2 $\frac{1}{2}$ | in. cal. | 3.50 |
| 2 $\frac{1}{2}$ -3 | in. cal. | 4.50 |
| 4-4 $\frac{1}{2}$ | in. cal. | 8.00 |

—schwedleri

Schwedler's Maple

1½ in. cal. 3.00
 1¾ in. cal. 3.50

rubrum

Red Maple

| | | | |
|----|----------|-------|------|
| 1½ | in. cal. | | 2.50 |
| 2 | in. cal. | | 3.50 |
| 2¼ | in. cal. | | 4.50 |
| 2½ | in. cal. | | 5.50 |
| 3 | in. cal. | | 7.00 |
| 3½ | in. cal. | | 9.00 |

saccharum

Sugar Maple

| | | | |
|-----------------|----------|-------|------|
| 1 $\frac{1}{4}$ | in. cal. | | 2.00 |
| 1 $\frac{1}{2}$ | in. cal. | | 2.50 |
| 1 $\frac{3}{4}$ | in. cal. | | 3.25 |
| 2 | in. cal. | | 4.00 |

AESCULUS hippocastanum

Horse Chestnut

| | | |
|---------------|-------------------------------------|------|
| 2½-3 in. cal. | 10-12 ft. | 4.00 |
| <i>Arneia</i> | <i>Red Flowering Horse Chestnut</i> | |
| 2½-3 in. cal. | 8-10 ft. | 4.50 |
| 3-3½ in. cal. | 10-12 ft. | 6.00 |
| 3½-4 in. cal. | 10-12 ft. | 7.50 |

| | | |
|-------------------------------|----------------------------|-------------------------------------|
| AESCULUS | pavia rubra | <i>Red Buckeye</i> |
| 1½-2 | ft. | .50 |
| 2-2½ | ft. | .70 |
| 3-4 | ft. | 1.25 |
| AMELANCHIER | canadensis | <i>Downy Shadblow</i> |
| 3-4 | ft. | .50 |
| 4-5 | ft. | .75 |
| 5-6 | ft. | 1.20 |
| 6-7 | ft. | 1.50 |
| AMYGDALUS | persica alba | <i>Double White Flowering Peach</i> |
| 5-6 | ft. | 1.00 |
| persica | rubra | <i>Double Red Flowering Peach</i> |
| 5-6 | ft. | 1.00 |
| 7-8 | ft. | 2.00-3.00 |
| ARALIA | spinoza | <i>Devil's Walking Stick</i> |
| 7-8 | ft. | 1.20 |
| ARONIA | arbutifolia | <i>Red Chokeberry</i> |
| 2-3 | ft. | .30 |
| 3-4 | ft. | .35 |
| 4-5 | ft. | .40 |
| 5-6 | ft. | .70 |
| melanocarpa | | <i>Black Chokeberry</i> |
| 2-3 | ft. | .30 |
| 3-4 | ft. | .35 |
| 4-5 | ft. | .40 |
| 5-6 | ft. | .70 |
| AZALEA | arborescens—white or blush | <i>Sweet Azalea</i> |
| 15-18 | in. | 1.30 |
| 1½-2 | ft. | 1.70 |
| calendulacea—yellow to orange | | <i>Flame Azalea</i> |
| 1½-2 | ft. | 1.80 |
| 2-2½ | ft. | 2.50 |
| 2½-3 | ft. | 3.00 |
| 3-4 | ft. | 4.00 |
| 4-5 | ft. | 5.50 |
| canescens—white | | <i>Piedmont Azalea</i> |
| 15-18 | in. | 1.20 |
| mucronulata—violet rose | | <i>Dahurian Azalea</i> |
| 15-18 | in. | 1.50 |
| nudiflora—deep pink | | <i>Pinxterbloom Azalea</i> |
| 15-18 | in. | 1.40 |
| 1½-2 | ft. | 1.80 |
| 2-2½ | ft. | 2.50 |
| pontica—yellow to orange | | <i>Ghent Azalea</i> |
| 1½-2 | ft. | 2.25 |
| 2-2½ | ft. | 2.75 |
| vaseyi—delicate pink | | <i>Pinkshell Azalea</i> |
| 15-18 | in. | 1.40 |
| 1½-2 | ft. | 1.80 |
| 2-2½ | ft. | 2.25 |
| 2½-3 | ft. | 3.00 |
| 3-3½ | ft. | 3.50 |
| viscosa | | <i>Swamp Azalea</i> |
| 5-6 | ft. | 5.00 |

| BERBERIS koreana | <i>Korean Barberry</i> | |
|--|-----------------------------------|--------------------------|
| 15-18 in. | .30 | |
| <th>thunbergi</th> <th><i>Japanese Barberry</i></th> | thunbergi | <i>Japanese Barberry</i> |
| 1½-2 ft. | .12 | |
| 2-2½ ft. | .20 | |
| — <i>atropurpurea</i> | <i>Red-leaf Japanese Barberry</i> | |
| 15-18 in. | .25 | |
| 2-2½ ft. | .35 | |
| 2½-3 ft. | .40 | |
| 3-3½ ft. | .50 | |
| BETULA alba | <i>European white Birch</i> | |
| 8-10 ft. B & B | 2.50 | |
| 10-12 ft. B & B | 3.00-4.00 | |
| 12-14 ft. B & B | 5.00-7.50 | |
| 14-16 ft. B & B | 8.00-15.00 | |
| —two and three stemmed trees | priced upon selection | |
| — <i>laciñata</i> | <i>Cutleaf Weeping Birch</i> | |
| 8-10 ft. B & B | 2.50 | |
| <i>populifolia</i> | <i>Gray Birch</i> | |
| 8-10 ft. B & B | 2.00-2.50 | |
| 10-12 ft. B & B | 3.00-4.00 | |
| 12-14 ft. B & B | 5.00-7.50 | |
| 14-16 ft. B & B | 8.00-15.00 | |
| BUDDLEIA | <i>Butterfly Bush</i> | |
| CHARMING— <i>lavender pink</i> | | |
| 3-4 ft. | .30 | |
| Potgrown | .50 | |
| ILE DE FRANCE— <i>soft purple</i> | | |
| 3 ft. | .30 | |
| Potgrown | .50 | |
| CALLICARPA <i>purpurea</i> | <i>Chinese Beauty Berry</i> | |
| 2½-3 ft. | .35 | |
| CALYCANTHUS <i>floridus</i> | <i>Common Sweet Shrub</i> | |
| 2-2½ ft. | .35 | |
| CARPINUS <i>betulus</i> | <i>European Hornbeam</i> | |
| 7-8 ft. B & B | 4.00 | |
| CATALPA <i>bungei</i> | <i>Umbrella Catalpa</i> | |
| 2 year heads | 1.50 | |
| CERCIDIPHYLLUM <i>japonicum</i> | <i>Katsura Tree</i> | |
| 6-7 ft. | 1.50 | |
| 7-8 ft. | 2.50 | |
| 8-10 ft. | 3.50 | |
| CERCIS <i>canadensis</i> | <i>American Redbud</i> | |
| 4-5 ft. B & B | 1.00 | |
| <i>chinensis</i> | <i>Chinese Redbud</i> | |
| 2-2½ ft. B & B | .80 | |
| CHIONANTHUS <i>virginica</i> | <i>White Fringetree</i> | |
| 2-3 ft. | .40 | |
| CLETHRA <i>alnifolia</i> | <i>Summer Sweet</i> | |
| 2-3 ft. | .35 | |
| 3-4 ft. | .50 | |
| 4-6 ft. very heavy | 1.50-2.00 | |
| COMPTONIA <i>asplenifolia</i> | <i>Sweetfern</i> | |
| 1½ ft. B & B | .60 | |
| 2 ft. B & B | .70 | |

| | |
|--|--------------------------------|
| CORNUS <i>alba</i> (<i>siberica</i>) | <i>Coral Dogwood</i> |
| 4-5 ft. | .50 |
| — <i>elegantissima</i> | <i>Silverblotch Dogwood</i> |
| 3-4 ft. | .50 |
| <i>amomum</i> | <i>Silky Dogwood</i> |
| 5-6 ft. | .50 |
| 6-7 ft. | .75 |
| <i>florida</i> | <i>White Flowering Dogwood</i> |
| 3-4 ft. B & B | .90 |
| 4-5 ft. B & B | 1.20-1.50 |
| 5-6 ft. B & B | 2.00-2.50 |
| 6-7 ft. B & B | 2.50-3.50 |
| 7-8 ft. B & B | 3.00-4.00 |
| 8-10 ft. B & B | 4.00-8.00 |
| 10-12 ft. B & B | 5.00-12.00 |
| 12-14 ft. B & B | 6.00-15.00 |
| Heavy specimens priced upon selection | |
| — <i>rubra</i> | <i>Red Flowering Dogwood</i> |
| 3½-4 ft. B & B | 2.00 |
| 4-5 ft. B & B | 2.50 |
| 5-6 ft. B & B | 3.50 |
| 6-7 ft. B & B | 4.00-5.00 |
| 7-8 ft. B & B | 5.00-6.00 |
| <i>kousa</i> | <i>Kousa Dogwood</i> |
| 5-6 ft. B & B | 2.50 |
| 6-7 ft. B & B | 3.50 |
| 7-8 ft. B & B | 4.00-6.00 |
| 8-10 ft. B & B | 5.00-7.50 |
| <i>mas</i> | <i>Cornelian Cherry</i> |
| 3-4 ft. | .70 |
| 4-5 ft. | 1.00 |
| 5-6 ft. | 1.50 |
| 6-7 ft. | 2.50 |
| <i>paniculata</i> | <i>Gray Dogwood</i> |
| 6-7 ft. | 1.25 |
| <i>sanguinea</i> | <i>Bloodtwig Dogwood</i> |
| 6-7 ft. | .75 |
| COTONEASTER <i>acutifolia</i> | <i>Peking Cotoneaster</i> |
| 3-4 ft. B & B | .80 |
| 4-4½ ft. B & B | 1.20 |
| <i>divaricata</i> | <i>Spreading Cotoneaster</i> |
| 1½-2 ft. B & B | .60 |
| 2-2½ ft. B & B | .70 |
| 2½-3 ft. B & B | .80 |
| CRATAEGUS <i>cordata</i> | <i>Washington Thorn</i> |
| 4-5 ft. B & B | 1.75 |
| 5-6 ft. B & B | 2.50 |
| 6-7 ft. B & B | 3.00 |
| 7-8 ft. B & B | 4.00 |
| 8-10 ft. B & B | 5.00 |
| <i>crusgalli</i> | <i>Cockscomb Thorn</i> |
| 6-7 ft. B & B | 3.50 |

CRATAEGUS

| | | |
|-------------|---------------------------|--------------------------------|
| mercerensis | sargentii | |
| 4-5 | ft. B & B | 2.00 |
| 5-6 | ft. B & B | 3.00 |
| 6-7 | ft. B & B | 3.50 |
| oxyacantha | Pauli | <i>Paul's Scarlet Hawthorn</i> |
| 5-6 | ft. B & B | 2.00 |
| 6-7 | ft. B & B | 2.50 |
| 7-8 | ft. B & B | 3.50 |
| prunifolia | | <i>Plumleaf Hawthorn</i> |
| 6-7 | ft. B & B | 3.50 |
| CYDONIA | japonica | <i>Flowering Quince</i> |
| 2-2½ | ft. | .35 |
| 2½-3 | ft. | .50 |
| 3-4 | ft. | .75 |
| DAPHNE | mezereum | <i>February Daphne</i> |
| 15-18 | in. B & B | .70 |
| 1½-2 | ft. B & B | .80 |
| —alba | | <i>White February Daphne</i> |
| 1½-2 | ft. B & B | .80 |
| 2-2½ | ft. B & B | 1.20 |
| DEUTZIA | gracilis | <i>Slender Deutzia</i> |
| 1½ | ft. | .30 |
| 2 | ft. | .40 |
| —rosea | | <i>Rose Panicle Deutzia</i> |
| 2-2½ | ft. | .35 |
| 2½-3 | ft. | .50 |
| lemoinei | | <i>Lemoine Deutzia</i> |
| 2-2½ | ft. | .35 |
| 2½-3 | ft. | .50 |
| scabra | <i>Pride of Rochester</i> | <i>Large Flowered Deutzia</i> |
| 3-4 | ft. | .35 |
| 4-5 | ft. | .50 |
| ELEAGNUS | angustifolia | <i>Russian Olive</i> |
| 4-6 | ft. | .60 |
| ENKIANTHUS | campanulatus | <i>Redvein Enkianthus</i> |
| 2½-3 | ft. B & B | 1.50 |
| 3-3½ | ft. B & B | 2.00 |
| EUONYMUS | alatus | <i>Winged Euonymus</i> |
| 2½-3 | ft. | .60 |
| 3-4 | ft. | .80 |
| 4-5 | ft. | 1.20 |
| yedoensis | | <i>Chinese Euonymus</i> |
| 2½-3 | ft. | .40 |
| 3-4 | ft. | .60 |
| 4-5 | ft. | 1.00 |
| 5-6 | ft. | 1.50-2.50 |
| FAGUS | americana | <i>American Beech</i> |
| 2-3 | ft. | .60 |
| 3-4 | ft. B & B | 1.50 |
| 4-5 | ft. B & B | 2.50 |

FAGUS sylvatica

European Beech

| | |
|-----------------------|-------------|
| 2-2½ ft. | .40 |
| 6-8 ft. B & B | 3.00-4.00 |
| 8-10 ft. B & B | 5.00-7.00 |
| 10-12 ft. B & B | 7.50-10.00 |
| 12-14 ft. B & B | 12.00-15.00 |

| | |
|-----------------------|--------------|
| —purpurea | Purple Beech |
| 10-12 ft. B & B | 10.00-12.00 |
| 12-14 ft. B & B | 12.00-14.00 |

FORSYTHIA intermedia Border Golden Bell

| | |
|--------------|-----|
| 4-5 ft. | .45 |
| 5-6 ft. | .60 |

| | |
|--------------|--------------------------|
| —spectabilis | Showy Border Golden Bell |
| 4-5 ft. | .45 |
| 5-6 ft. | .60 |
| 6-7 ft. | .80 |
| 7-8 ft. | 1.20 |

| | |
|--------------|---------------------|
| suspensa | Weeping Golden Bell |
| 4-5 ft. | .45 |
| 5-6 ft. | .75 |

| | |
|------------------|-----------------|
| GINKGO biloba | Maidenhair Tree |
| 8-10 ft. | 2.50 |
| 1¾ in. cal. | 3.50 |
| 2 in. cal. | 4.50 |
| 2½ in. cal. | 6.50 |

| | |
|-----------------------|--------------------|
| GLEBITSIA triacanthos | Common Honeylocust |
| 2-2½ ft. | .15 |
| 4-6 ft. | 1.00 |
| 6-8 ft. | 1.50 |

| | |
|--------------------|----------------------|
| GYMNOCLADUS dioica | Kentucky Coffee Tree |
| 8-10 ft. | 3.00 |

| | |
|--------------------|--------------------|
| HAMAMELIS vernalis | Vernal Witch Hazel |
| 4-5 ft. | .60 |
| virginiana | Common Witch Hazel |
| 5-6 ft. | .70 |
| 6-7 ft. | 1.00 |


| | |
|---------------------------|------------------|
| HIBISCUS syriacus | Rose of Sharon |
| COELESTIS—single blue— | 2-3 ft. |
| RUBIS—single red— | 2-3 ft., 3-4 ft. |
| TOTUS ALBUS—single white— | 3-4 ft., 4-5 ft. |
| W. R. SMITH—single white— | 2-3 ft., 3-4 ft. |
| 2-2½ ft. | .30 |
| 3-4 ft. | .40 |
| 4-4½ ft. | .50 |

| | |
|-----------------------------------|---------------------|
| HYDRANGEA arborescens grandiflora | Snow Hill Hydrangea |
| 2½-3 ft. | .35 |
| 3-3½ ft. | .50 |

| | |
|-------------------------|-----------------|
| opuloides otaksa | House Hydrangea |
| 15 in. 9 inch pots | 1.50 |
| paniculata grandiflora | P. G. Hydrangea |
| 2-3 ft. | .35 |
| 3-4 ft. | .50 |

| | |
|----------|----------|
| TREEFORM | .90-1.50 |
|----------|----------|

| | |
|----------------------------------|-----------------------------|
| ILEX monticola | <i>Mountain Winterberry</i> |
| 2½-3 ft. | .35 |
| I. verticillata | <i>Common Winterberry</i> |
| 3-4 ft. | .40 |
| 4-5 ft. | .50 |
| <i>(SELECTED BERRIED PLANTS)</i> | |
| 50% additional | |



FRANKLINA (GORDONIA)

GORDONIA alatamaha. A beautiful American tree closely associated with our American history. It has been named in honor of Benjamin Franklin, but the botanists know it as Gordonia.

It grows to the size of a very large shrub or into a small tree of about 16 feet. It blooms in August, September and well into October. The large white flowers are very fragrant.

| | |
|----------------------|------|
| 2½-3 ft. B & B | 1.00 |
| 3-4 ft. B & B | 1.50 |
| 4-5 ft. B & B | 2.00 |
| 5-6 ft. B & B | 2.75 |
| 6-8 ft. B & B | 4.00 |

| | |
|--|--------------------------|
| JASMINUM nudiflorum | <i>Winter Jasmine</i> |
| 2½-3 ft. potgrown | .50 |
| KERRIA japonica | <i>Japanese Kerria</i> |
| 2-3 ft. | .35 |
| —fl. pl. <i>Double Kerria or Globeflower</i> | |
| 2-3 ft. | .35 |
| 3-4 ft. | .50 |
| KOELREUTERIA paniculata | <i>Varnish Tree</i> |
| 5-6 ft. | 1.00 |
| 8-10 ft. | 3.50-5.00 |
| KOLKWITZIA amabilis | <i>Beauty Bush</i> |
| 2½-3 ft. | .40 |
| 3-4 ft. | .60 |
| LABURNUM vulgare | <i>Golden Chain</i> |
| 4-5 ft. | 1.00 |
| 5-6 ft. | 1.50 |
| LESPEDEZA formosa | <i>Purple Bushclover</i> |
| 3 yr. potgrown | .50 |
| LEUCOTHOE racemosa (ANDROMEDA rac.) | <i>Sweetbells</i> |
| 2-3 in. 1 yr. s. | per 1000-20.00 |
| 15-18 in. B & B | .50 |
| 1½-2 ft. B & B | .60 |
| 2-2½ ft. B & B | .80 |
| 2½-3 ft. B & B | 1.20 |
| 3-4 ft. B & B | 2.50 |
| 4-5 ft. B & B | 3.00 |
| LIGUSTRUM ibota | <i>Ibota Privet</i> |
| 3-4 ft. | .40 |
| 4-5 ft. | .60 |
| —regelianum | <i>Regal Privet</i> |
| 2-2½ ft. | .30 |
| 2½-3 ft. | .35 |
| 3-4 ft. | .50 |
| 4-5 ft. | .75 |
| ovalifolium | <i>California Privet</i> |
| 1½-2 ft. 2 year | .04 |
| 2-3 ft. 2 year | .06 |
| 3-4 ft. 2 year | .10 |
| 4-5 ft. 3 year | .15-.30 |
| GLOBES | |
| 12-15 in. B & B | .70 |
| 15-18 in. B & B | .90 |
| 1½-2 ft. B & B | 1.20 |
| PYRAMIDS | |
| 3½-4 ft. B & B | 2.00 |
| 4-5 ft. B & B | 2.50 |
| 8-10 ft. B & B | 6.00 |
| TREEFORM | |
| 4-5 ft. B & B - 18 in. head | 2.00 |

| | | |
|--|-----------|-----------------------------------|
| LIGUSTRUM ov. aureum | | Golden Privet |
| 1½-2 ft. bare | .30 | |
| 2-2½ ft. heavy and dense B & B | .75 | |
| 2½-3 ft. heavy and dense B & B | 1.00 | |
| PYRAMIDS | | |
| 2 ft. B & B | 1.20 | |
| 2½ ft. B & B | 1.50 | |
| 3 ft. B & B | 1.75 | |
| LIQUIDAMBAR styraciflua | | Sweet Gum |
| 5-6 ft. B & B | 1.50 | |
| 3 in. cal. B & B | 9.00 | |
| 3½ in. cal. B & B | 12.00 | |
| LONICERA zabelli— <i>red flowering</i> | | |
| 3-4 ft. | .35 | |
| 4-5 ft. | .50 | |
| MAGNOLIA soulangeana | | Saucer Magnolia |
| 2½-3 ft. B & B | 2.25 | |
| 3-4 ft. B & B | 2.75 | |
| 4-5 ft. B & B | 3.50 | |
| 5-6 ft. B & B | 5.00 | |
| 6-7 ft. B & B | 7.00 | |
| MALUS assorted | | Flowering Crab Apples |
| 6-8 ft. heavy | 3.00-4.00 | |
| atrosanguinea | | Carmine flowers, Red fruit |
| 4-5 ft. 3 year | 1.50 | |
| eleyi | | Rosy red flowers, Reddish fruit |
| 7-8 ft. | 3.00-4.00 | |
| 8-10 ft. | 4.00-6.00 | |
| 10-12 ft. | 6.00-8.00 | |
| floribunda | | Rosy white flowers, Yellow fruit |
| 5-6 ft. | 2.00 | |
| ioensis plena | | Bechtel Crab |
| | | Double pale pink flowers |
| 4-5 ft. 3 year | 1.50 | |
| 5-6 ft. 4 year | 2.00 | |
| 6-7 ft. | 3.00 | |
| kaido | | Pink flowers |
| 5-6 ft. 4 year | 1.50 | |
| 6-7 ft. | 2.00-2.50 | |
| niedzwetskyana | | |
| | | Dark pink flowers, Reddish fruit |
| 5-6 ft. 4 year | 1.50 | |
| 6-8 ft. | 3.00-4.00 | |
| parkmanii | | Double pink flowers, Yellow fruit |
| 3-4 ft. 4 year | 1.50 | |
| sargentii | | White flowers, Dark red fruit |
| 5-6 ft. 4 year | 1.50 | |
| scheideckeri | | Double rose flowers, Yellow fruit |
| 4-5 ft. 4 year | 1.50 | |
| 5-6 ft. | 2.00 | |
| MORUS alba pendula | | Tea's Weeping Mulberry |
| 2 year head | 1.75 | |

| | | |
|----------------------------|---------------|------------------------------------|
| MYRICA carolinensis | | <i>Northern Bayberry</i> |
| 1½-2 ft. | | .35 |
| 2-2½ ft. | | .40 |
| 2½-3 ft. | | .50 |
| 3-4 ft. | | .60 |
| NYSSA sylvatica | | <i>Tupelo or sour Gum</i> |
| 4-6 ft. B & B | | 1.50 |
| 6-8 ft. B & B | | 3.00 |
| 10-12 ft. B & B | | 7.00 |
| OXYDENDRUM arboreum | | <i>Sourwood</i> |
| 4-5 ft. B & B | | 2.00 |
| 5-7 ft. B & B | | 3.00 |
| PHILADELPHUS coronarius | | <i>Mock Orange</i> |
| 3-4 ft. | | .35 |
| grandiflorus | | <i>Large Flowering Mock Orange</i> |
| 4-5 ft. | | .40 |
| 5-6 ft. | | .60 |
| 6-7 ft. | | .75 |
| virginalis (Everblooming) | | <i>Virginal Mock Orange</i> |
| 2½-3 ft. | | .35 |
| 3-4 ft. | | .50 |
| 4-5 ft. | | .70 |
| 5-6 ft. | | .90 |
| 6-7 ft. | | 1.20 |
| PIERIS mariana | | <i>Staggerbush</i> |
| 2-3 in. 1 year S. |per 1000 | 20.00 |
| 12-15 in. B & B | | .50 |
| 15-18 in. B & B | | .60 |
| 1½-2 ft. B & B | | .80 |
| 2-2½ ft. B & B | | 1.00 |
| 2½-3 ft. B & B | | 1.50 |
| 3-4 ft. B & B | | 2.50 |
| PLATANUS orientalis | | <i>European Plane Tree</i> |
| 2 in. cal. | | 3.50 |
| 2¼ in. cal. | | 4.00 |
| 2½ in. cal. | | 6.00 |
| 3 in. cal. | | 7.50 |
| 3½ in. cal. | | 9.00 |
| POPULUS bolleana | | <i>Bolleana Poplar</i> |
| 6-7 ft. | | .75 |
| 8-10 ft. | | 1.00 |
| 10-12 ft. | | 1.50 |
| 18-20 ft. | | 5.00 |
| nigra italica | | <i>Lombardy Poplar</i> |
| 10-12 ft. | | .90 |
| 12-15 ft. heavy | | 1.50 |
| 18 ft. | | 4.00 |
| simoni | | <i>Simon Poplar</i> |
| 4-6 ft. | | .50 |
| 12-14 ft. | | 2.00 |
| PRUNUS cerasifera pissardi | | <i>Purple-leaf Plum</i> |
| 7-8 ft. | | 2.50 |
| 8-10 ft. | | 3.50 |

PRUNUS

glandulosa *rosea* fl. pl. (AMYGDALUS *nana*)
Double Pink-flowering Almond

| | | |
|----------|-------|------|
| 2½-3 ft. | | .50 |
| 3-4 ft. | | 1.00 |

serrulata *Oriental Cherry*

JAPANESE CHERRIES, double flowering

JAMES H. VEITCH—*rose pink*

| | | |
|--------------------------|-------|-------------|
| 10-12 ft., 3½-4 in. cal. | | 10.00-15.00 |
| 12-14 ft., 4-5 in. cal. | | 15.00-20.00 |

AMANOGAWA—*semi double pink* 5-6, 6-8, ft.

KWANSAN—*double pink* 5-6, 6-8, 8-10 ft.

MOUNT FUJI—*double white* 5-6, 6-8 ft.

NADEN (TAKASAGO)—*semi double blush pink*

SHIROFUGEN—*double blush pink* 5-6, 8-10 ft.

YOSHINO—*single blush pink* 4-5 ft.

| | | |
|----------|-------|-----------|
| 5-6 ft. | | 1.80 |
| 6-7 ft. | | 2.50 |
| 7-8 ft. | | 3.00-5.00 |
| 8-10 ft. | | 6.00-9.00 |

subhirtella pendula *Weeping Japanese Cherry*

| | | |
|--------------------|-------|-----------|
| 6 ft., 2 year head | | 2.50-3.00 |
|--------------------|-------|-----------|

—*flore plena* *Double Fl. Weeping Cherry*

| | | |
|---------------------|-------|-----------|
| 6 ft., 2 year heads | | 2.50-3.00 |
|---------------------|-------|-----------|

triloba plena *Double Pink-flowering Plum*

| | | |
|----------------|-------|------|
| 3-3½ ft. heavy | | 1.00 |
|----------------|-------|------|

QUERCUS *palustris* *Pin. Oak*

| | | |
|---------------|-------|-------|
| 2-2½ in. cal. | | 3.50 |
| 2½-3 in. cal. | | 4.00 |
| 2½-3 in. cal. | | 5.00 |
| 3-3½ in. cal. | | 6.00 |
| 3½-4 in. cal. | | 7.00 |
| 4-5 in. cal. | | 12.00 |

rubra *Red Oak*

| | | |
|----------------|-------|------|
| 1½-1¾ in. cal. | | 3.50 |
| 1¾-2 in. cal. | | 4.00 |
| 2-2½ in. cal. | | 4.50 |
| 2½-3 in. cal. | | 6.00 |
| 3-3½ in. cal. | | 8.00 |

RHUS *copallina* *Shining Sumac*

| | | |
|---------|-------|------|
| 4-5 ft. | | .60 |
| 5-6 ft. | | .75 |
| 6-8 ft. | | 1.00 |

ROSA *hugonis* *Golden Rose of China*

| | | |
|------------------|-------|-----|
| 2-3 ft. potgrown | | .50 |
| 3-4 ft. potgrown | | .70 |
| 4-6 ft. | | .75 |

rugosa alba *White Rugosa Rose*

| | | |
|----------|-------|-----|
| 1½-2 ft. | | .35 |
|----------|-------|-----|

—*rubra* *Red Rugosa Rose*

| | | |
|----------|-------|-----|
| 1½-2 ft. | | .35 |
|----------|-------|-----|

R O S E S

*TEA, HYBRID TEA and EVERBLOOMING
or MONTHLY ROSES:*

30 cents each unless otherwise noted,
for POT GROWN add 25 cents per plant.

AMI QUINARD—*velvety crimson maroon*

AUTUMN—*burnt orange*

BETTY UPRICHARD—*salmon pink*

CHARLES P. KILHAM—*coral red and orange*

CONDESA DE SASTAGO—*gold and red*

DAME EDITH HELEN—*pink—highly perfumed*

DIRECTOR RUBIO—*rose pink*

DUTCHESS OF WELLINGTON—*saffron yellow*

EDITH NELLI PERKINS—*salmon pink*

EDITOR McFARLAND—*brilliant pink*

E. G. HILL—*maroon*

ETOILE DE HOLLANDE—*dark red*

GOLDEN DAWN—*straw yellow*

GOLDEN PERNET—*golden yellow*

GRENOBLE—*scarlet*

GRUSS AN TEPLITZ—*scarlet*

JOANNA HILL—*clear yellow*

JULIAN POTIN—*primrose yellow*

KAI SERIN AUGUSTA VICTORIA—*white*

LADY ASHTOWN—*carmine pink*

MARGARET McGREDY—*brilliant red*

McGREDY'S IVORY—*ivory-white*

McGREDY'S SCARLET—*deep rose red*

MEVROUW G. A. VAN ROSSEM—*deep orange*

MISS ROWENA THOM—*satiny pink*

MRS. CHARLES BELL—*shell pink*

MRS. E. P. THOM—*yellow*

MRS. PIERRE S. DU PONT—*golden yellow*

MRS. SAM McGREDY—*scarlet-copper orange*

PRESIDENT HOOVER—*reddish orange and gold*

PRESIDENT PLUMECOCQ—*brilliant apricot*

RADIANCE—*pink*

RED RADIANCE—*rosy red*

SISTER THERESE—*golden yellow*

SOUVENIR DE CLAUDIUS PERNET—*yellow*

SOUVENIR DE GEORGES PERNET—*orange pink*

TALISMAN—*coppery yellow*

VILLE DE PARIS—*bright yellow*

TREE ROSES

| | |
|----------------------------|------|
| Bare Roots | 1.75 |
| 8 inch pots | 2.25 |
| BETTY UPRICHARD | |
| DIRECTOR RUBIO | |
| E. G. HILL | |
| KAI SERIN AUGUSTA VICTORIA | |
| McGREDY'S IVORY | |
| MRS. SAM McGREDY | |
| RED RADIANCE | |

CLIMBING ROSES and RAMBLERS

FOR POT GROWN add 25 cents per plant.

EXTRA SIZE 65 cents and up

AMERICAN PILLAR—*single crimson pink* .35

CLIMBING AMERICAN BEAUTY—

carmine35

CLIMBING GRUSS AN TEPLITZ—

scarlet, *everblooming*55

CLIMBING RED RADIANCE—

rosy red, *everblooming*55

GOLDEN CLIMBER—

plant patent 28, golden yellow 1.00

DOCTOR VAN FLEET—*flesh pink*35

MME. GREGOIRE STAECHELIN

(Spanish Beauty)—*pearl pink*35PAUL'S SCARLET CLIMBER—*scarlet*.... .35PRIMROSE—*pure yellow* 35SILVER MOON—*creamy*35SALIX babylonica *Babylon Weeping Willow*

8-9 ft., 1.20

8-10 ft., 1½-2 in. cal. 2.00

10-12 ft., 2-2½ in. cal. 3.00-4.00

12-14 ft., 2½ in. cal. 4.00-5.00

caprea *Pussy Willow*

4-5 ft.50

matsudana tortuosa *Corkscrew Willow*

6-8 ft. 1.20

8-10 ft. 2.00

vitellina aurea *Golden Willow*

6-8 ft. 1.00

SORBUS aucuparia *European Mountain Ash*

8-10 ft. 2.50

10-12 ft. 3.00

—pendula *Weeping Mountain Ash*

7-8 ft. heavy heads 3.00-6.00

8-10 ft. heavy heads 7.50-10.00

SPIRAEA arguta *Garland Spirea*

2½-3 ft.35

3-4 ft. heavy50

bumalda ANTHONY WATERER

Red Everblooming Spirea

1½ ft.30

2-2½ ft.40

prunifolia *Bridal Wreath*

3-4 ft.50

4-5 ft.75

thunbergi *Snowgarland-Thunberg Spirea*

2½-3 ft.35

van Houttei *Van Houttei Bridal Wreath*

3-4 ft.35

4 ft. heavy50

STEPHANANDRA flexuosa

Cutleaf Stephanandra

3-4 ft.35

| | | |
|----------------|-----------------|---------------------|
| STEWARTIA | monadelpha | Japanese Stewartia |
| 3-4 | ft. B & B | 1.50 |
| pentagyna | | Mountain Stewartia |
| 3-4 | ft. B & B | 1.50 |
| STYRAX | japonica | Japanese Snowbell |
| 6-8 | ft. | 2.00 |
| SYMPHORICARPOS | racemosus | Snowberry |
| 3 | ft. | 2.00 |
| vulgaris | | Coralberry |
| 3 | ft. | .35 |
| SYMPLOCUS | paniculata | Asiatic Sweetleaf |
| 4-5 | ft. | 1.20 |
| SYRINGA | emodi | Himalayan Lilac |
| 6-7 | ft. | 2.00 |
| persica | | Persian Lilac |
| 3-4 | ft. | .60 |
| 4-5 | ft. | 1.00 |
| vulgaris | | Common Purple Lilac |
| 2½-3 | ft. | .40 |
| 3-3½ | ft. | .50 |
| 3-4 | ft. heavy B & B | 1.50-2.00 |
| 4-5 | ft. heavy B & B | 2.50-3.00 |
| 5-6 | ft. heavy B & B | 3.00-4.00 |
| —alba | | Common White Lilac |
| 3-4 | ft. heavy | 1.50 |

HYBRIDS

SYRINGA vulgaris

(On own roots or grafted on Lilac)

CHARLES JOLY—double, dark violet purple
3-4, 4-5 ft.

CHARLES THE TENTH—violet 2-3 ft.

LUDWIG SPAETH—reddish purple
2½-3, 3-4, 4-5 ft.

MARIE LEGRAY—white 2-3, 3-4 ft.

MASSENA—single, deep purple red 2-3 ft.

MME. CASIMIR PERIER—double white 2-3 ft.

MME. FLORET STEPMAN—white 2-3 ft.

MME. LEMOINE—double white 2-3, 3-4 ft.

RUBRA DE MARLEY—bluish lavender 3-4 ft.

WM. ROBINSON—violet pink 2-3 ft.

2½-3 ft. heavy B & B 1.00

3-4 ft. heavy B & B 1.50-2.50

4-5 ft. heavy B & B 2.50-3.50

5-6 ft. heavy B & B 3.00-4.00

| | | |
|-------|----------|----------------------------|
| TILIA | cordata | Littleleaf European Linden |
| 6-8 | ft. | 1.00 |
| 8-10 | ft. | 1.50 |
| 1½ | in. cal. | 2.00 |
| 1¾ | in. cal. | 2.50 |
| 2-2½ | in. cal. | 3.50 |
| 2½-3 | in. cal. | 5.00 |
| 3-3½ | in. cal. | 6.50 |
| 4-5 | in. cal. | 10.00-12.50 |

TILIA

| | |
|----------------------|------------------------|
| tomentosa (argentea) | <i>Silver Linden</i> |
| 2-2½ in. cal. | 4.00 |
| 2½-3 in. cal. | 5.50 |
| 3-3½ in. cal. | 7.50 |
| vulgaris (europaea) | <i>European Linden</i> |
| 3½-4 in. cal. | 7.50 |
| 4-5 in. cal. | 12.00-15.00 |

ULMUS americana *American Elm*

| | |
|------------------|--------------------|
| 2 in. cal. | 3.00 |
| pumila | <i>Chinese Elm</i> |
| 2 in. cal. | 3.00 |
| 2½ in. cal. | 4.00 |

VACCINIUM corymbosum *Highbush Blueberry*

| | | |
|------------------------|------------|------|
| 2-3 ft. (heavy clumps) | B & B | 1.50 |
| 3-4 ft. (heavy clumps) | B & B | 2.00 |
| 4-5 ft. (heavy clumps) | B & B | 3.00 |

| | |
|----------------|--------------------------|
| pennsylvanicum | <i>Lowbush Blueberry</i> |
| 15-18 in. | .50 |

VIBURNUM acerifolium *Mapleleaf Viburnum*

| | |
|---------------|-----|
| 2½-3 ft. | .40 |
| 3-4 ft. | .50 |
| 4-5 ft. | .60 |
| 5-6 ft. | .90 |

| | |
|----------------------|--------------------------|
| carlesii | <i>Fragrant Viburnum</i> |
| 15-18 in. B & B | 1.00 |
| 1½-2 ft. B & B | 1.25 |

| | |
|--------------|-------------------|
| cassinoides | <i>Wither-rod</i> |
| 3-4 ft. | .50 |
| 4-5 ft. | .70 |
| 5-6 ft. | 1.00 |

| | |
|--------------------|-------------------|
| dentatum | <i>Arrow Wood</i> |
| 2-3 ft. | .30 |
| 3-4 ft. | .40 |
| 4-5 ft. heavy | .70 |
| 5-6 ft. heavy | 1.00 |

| | |
|--------------|------|
| fragrans | |
| 2-3 ft. | 1.00 |

| | |
|--------------|-----------------------|
| lantana | <i>Wayfaring Tree</i> |
| 3-4 ft. | .40 |
| 4-5 ft. | .70 |
| 5-6 ft. | 1.00 |

| | |
|--------------|-------------------|
| lentago | <i>Nannyberry</i> |
| 3-4 ft. | .40 |
| 4-5 ft. | .60 |
| 5-6 in. | .80 |
| 6-7 ft. | 1.20 |

| | |
|--------------|--------------------------|
| molle | <i>Kentucky Viburnum</i> |
| 3-4 ft. | .50 |

| | |
|--------------|-------------------------------|
| opulus | <i>European Cranberrybush</i> |
| 3-4 ft. | .40 |

| | |
|----------------|------------------------|
| opulus sterile | <i>Common Snowball</i> |
| 3-4 ft. | .50 |

| | | |
|-----------------------|-------|---------------------------------|
| VIBURNUM prunifolium | | Blackhaw |
| 2½-3 ft. | | .50 |
| 3-4 ft. heavy B & B | | 1.50 |
| 4 ft. heavy B & B | | 2.50 |
| sieboldi | | <i>Siebold Viburnum</i> |
| 3-4 ft. | | .50 |
| 4-5 ft. | | .70 |
| 5-6 ft. | | 1.00 |
| theiferum | | <i>Tea Viburnum</i> |
| 1½-2 ft. | | .50 |
| 2-3 ft. B & B | | .75 |
| 3-4 ft. B & B | | 1.25 |
| tomentosum | | <i>Doublefile Viburnum</i> |
| 2½-3 ft. | | .40 |
| 3-4 ft. | | .60 |
| —plicatum | | <i>Japanese Snowball</i> |
| 2½-3 ft. B & B | | .70 |
| 3-4 ft. B & B | | .90 |
| 4-5 ft. B & B | | 1.50 |
| wrighti | | <i>Wright Viburnum</i> |
| 5-6 ft. | | 1.00 |
| WEIGELA | | |
| Eva Rathke | | <i>Red Everblooming Weigela</i> |
| 3-3½ ft. | | .35 |
| nana variegata | | <i>Dwarf Variegated Weigela</i> |
| 2½-3 ft. | | .35 |
| vaniceki | | <i>Coral Red Weigela</i> |
| 3-4 ft. | | .50 |
| ZANTHORHIZA apiifolia | | <i>Yellow Root</i> |
| 15 in. | | .30 |

V I N E S

| | | |
|-------------------------|-------|-----------------------------|
| ACTINIDIA arguta | | <i>Bower Actinidia</i> |
| 3 year potgrown | | .50 |
| 4-6 ft. B & B | | .70 |
| AKEBIA quinata | | <i>Five-leaf Akebia</i> |
| 3 year potgrown | | .50 |
| AMPELOPSIS quinquefolia | | <i>Virginia Creeper</i> |
| 2 year | | .20 |
| 3 year | | .25 |
| 6-7 ft. potgrown | | .35 |
| tricuspidata (veitchi) | | <i>Boston Ivy</i> |
| 2 year | | .25 |
| Potgrown | | .30 |
| BIGNONIA grandiflora | | <i>Chinese Trumpet Vine</i> |
| 4 year, 12 in. tubs | | 2.00 |
| radicans | | <i>Trumpet Vine</i> |
| 3 year | | .30 |
| Potgrown | | .50 |
| CELASTRUS scandens | | <i>Bittersweet</i> |
| 3 year | | .30 |
| Potgrown | | .50 |

| | | |
|---------------------|---|------------------------------|
| CLEMATIS | paniculata | <i>Sweet Autumn Clematis</i> |
| 2 year | | .25 |
| Potgrown | | .35 |
| virginiana | | <i>Virgins-Bower</i> |
| Potgrown | | .35 |
| HEDERA | helix | <i>English Ivy</i> |
| 2 years, 3 in. pots | | .15 |
| 2 years, 4 in. pots | | .25 |
| LONICERA | heckrottii— <i>rose purple and yellow</i> | |
| | <i>Everblooming Honeysuckle</i> | |
| 6 in. pots | | .50 |
| japonica | halliana— <i>white and yellow</i> | |
| | <i>Hall Japanese Honeysuckle</i> | |
| 2 year | | .25 |
| 5 in. pots, strong | | .35 |
| periclymenum | belgica— <i>yellowish white, purple outside</i> | |
| | <i>Dutch Woodbine</i> | |
| 2 year | | .30 |
| 5 in. pots | | .50 |
| semperflorens | — <i>scarlet</i> | <i>Trumpet Honeysuckle</i> |
| 2 year | | .30 |
| 5 in. pots | | .50 |
| POLYGONUM | auberti | <i>Chinese Fleece Vine</i> |
| 2 year | | .35 |
| 5 in. pots | | .50 |

RAMBLER ROSES see page 33

| | | |
|------------------|-----------|-----------------------------|
| SMILAX | walteri | <i>Redbead Greenbriar</i> |
| 5 in. pots | | .50 |
| WISTERIA | multijuga | <i>Longcluster Wisteria</i> |
| 3-4 ft. | | .60 |
| 4-6 ft. | | 1.00-1.50 |
| 4-5 ft. potgrown | | 1.50-2.00 |
| sinensis | | <i>Chinese Wisteria</i> |
| 4-6 ft. | | 1.00-1.50 |

FRUIT TREES AND BUSHES

| | | |
|--------------------------------------|------|----------|
| APPLES | | .70-4.00 |
| APRICOTS | | .70-1.50 |
| BLUEBERRIES (Jersey Giant), 1½-2 ft. | 1.00 | |
| CHERRIES | | .90-3.50 |
| CURRENTS | | .30 |
| GOOSEBERRIES | | .30 |
| GRAPES 2 year | | .25 |
| 5-6 ft., potgrown | | 1.00 |
| PEACHES | | .60-3.00 |
| PEARS | | .70-4.00 |
| PLUMS | | .70-1.50 |
| QUINCES | | 1.00 |

HARDY HERBACEOUS PERENNIALS

HOSTA (FUNKIA) variegata

Variegated Plaintain Lily

| | |
|---------------------|----------|
| 1 year | .05 |
| 2 year clumps | .08 |
| PAEONIA | Peony |
| Heavy clumps | .60-1.00 |

REED MATS

| | |
|---|------|
| 6 $\frac{1}{4}$ x6 $\frac{1}{4}$ ft.—each | 1.50 |
| per 10—each | 1.40 |

PEAT MOSS

| | |
|-------------------------|-----|
| Domestic, per bag | .70 |
|-------------------------|-----|

FERTILIZERS

| | |
|------------------------------------|---------------|
| Milorganite, 6 $\frac{1}{2}$ | 100 lb. bags. |
|------------------------------------|---------------|

BERRY-BEARING TREES AND SHRUBS

Red Berries

| | |
|---------------------------------|-----------------------------------|
| ARONIA arbutifolia | <i>Red chokeberry</i> |
| BERBERIS thunbergi | <i>Japanese Barberry</i> |
| BERBERIS thunbergi atropurpurea | <i>Red-leaf Japanese Barberry</i> |
| CORNUS florida | <i>White Flowering Dogwood</i> |
| CORNUS florida rubra | <i>Red Flowering Dogwood</i> |
| CORNUS kousa | <i>Kousa Dogwood</i> |
| CORNUS mas | <i>Cornelian Cherry</i> |
| COTONEASTER adpressa preacox | |
| COTONEASTER divaricata | <i>Spreading Cotoneaster</i> |
| COTONEASTER franchetti | |
| COTONEASTER horizontalis | <i>Rock Cotoneaster</i> |
| COTONEASTER mycrophylla | <i>Rockspray</i> |
| COTONEASTER salicifolia | <i>Willowleaf Cotoneaster</i> |
| CRATAEGUS cordata | <i>Washington Thorn</i> |
| CRATAEGUS crusgalli | <i>Cockspur Thorn</i> |
| CRATAEGUS mercerensis sargentii | |
| CRATAEGUS prunifolia | <i>Plumleaf Hawthorn</i> |
| DAPHNE mezereum | <i>February Daphne</i> |
| ELAEAGNUS umbellata | <i>Autumn Elaeagnus</i> |
| EUONYMUS alatus | <i>Winged Euonymus</i> |
| ILEX cornuta bufordi | |
| ILEX monticola | <i>Mountain Winterberry</i> |
| ILEX opaca | <i>American Holly</i> |
| ILEX pernyi | |
| ILEX verticillata | <i>Common Winterberry</i> |
| LONICERA zabelli | |
| MALUS | <i>Flowering Crab Apple</i> |
| NYSSA sylvatica | <i>Tupelo or Sour Gum</i> |
| PYRACANTHA coccinea lalandii | <i>Laland's Firethorn</i> |
| ROSA hugonis | <i>Golden Rose of China</i> |
| ROSA rugosa | <i>Rugosa Rose</i> |
| SYMPHORICARPOS vulgaris | <i>Coralberry</i> |
| TAXUS, assorted | <i>Yew</i> |

| | |
|------------------------------------|-------------------------|
| VIBURNUM lantana | Wayfaring-Tree |
| VIBURNUM rhytidophyllum | Leatherleaf Viburnum |
| VIBURNUM theiferum | Téa Viburnum |
| VIBURNUM wrighti | Wright Viburnum |
| White Berries | |
| CORNUS alba | Coral Dogwood |
| CORNUS paniculata | Gray Dogwood |
| CORNUS stolonifera lutea | Goldenbark Dogwood |
| MYRICA carolinensis (gray) | Northern Bayberry |
| PACHYSANDRA terminalis | Japanese Spurge |
| SYMPHORICARPOS racemosus | Snowberry |
| Yellow Berries | |
| DAPHNE mezereum alba | White February Daphne |
| MALUS | Flowering Crab Apple |
| ACTINIDIA arguta | Bower Actinidia |
| Orange Berries | |
| CELASTRUS scandens | Bittersweet |
| EUONYMUS radicans vegetus | |
| EUONYMUS yedoensis | Big Leaf Winter creeper |
| SORBUS aucuparia | Chinese Euonymus |
| European Mountain Ash | |
| Black Berries | |
| AMELANCHIER canadensis | Downy shadblow |
| AMELANCHIER stolonifera | Running Shadblow |
| ARONIA melanocarpa | Black Chokeberry |
| COTONEASTER acutifolia | Peking Cotoneaster |
| BERBERIS verruculosa | Warty Barberry |
| ILEX crenata | Japanese Holly |
| ILEX crenata convexa | Boxleaf Japan Holly |
| ILEX crenata latifolia | |
| ILEX glabra | Inkberry |
| LIGUSTRUM ovalifolium | California Privet |
| VIBURNUM prunifolium | Blackhaw |
| VIBURNUM sieboldi | Siebold Viburnum |
| Blue and Blue-Black Berries | |
| AMPELOPSIS quinquefolia | Virginia Creeper |
| AMPELOPSIS tricuspidata | Boston Ivy |
| BERBERIS julianae | |
| CALLICARPA purpurea | Chinese Beauty Berry |
| CORNUS amomum | Silky Dogwood |
| JUNIPERUS virginiana | Red Cedar |
| LIGUSTRUM ibota regelianum | Spreading Regal Privet |
| LIGUSTRUM ibota | Ibota Privet |
| LIGUSTRUM lucidum | Glossy Privet |
| MAHONIA aquifolium | Oregon Hollygrape |
| SAMBUCUS canadensis | American Elder |
| SYMPLOCUS paniculata | Asiatic Sweetleaf |
| VACCINIUM corymbosum | Highbush Blueberry |
| VACCINIUM pensylvanicum | Lowbush Blueberry |
| VIBURNUM acerifolium | Mapleleaf Viburnum |
| VIBURNUM cassinoides | Withe-Rod |
| VIBURNUM dentatum | Arrowwood |
| VIBURNUM lentago | Nannyberry |
| VIBURNUM molle | Kentucky Viburnum |

INDEX OF
BOTANICAL and COMMON NAMES

| Page | Page |
|------------------------------|-------|
| Abelia | 4 |
| Abies | 4 |
| Acanthopanax | 21 |
| Acer | 21 |
| Actinidia | 36 |
| Aesculus | 21 |
| Akebia | 36 |
| Almond | 31 |
| Amelanchier | 22 |
| Ampelopsis | 36 |
| Amygdalis | 22 |
| Andromeda | 28 |
| Apples | 37 |
| Apricots | 37 |
| Aralia | 21-22 |
| Arborvitae | 18 |
| Aronia | 22 |
| Arrow-wood | 35 |
| Azalea | 4-22 |
| Barberry | 5-23 |
| Bayberry | 30 |
| Beauty Berry | 23 |
| Beauty Bush | 28 |
| Beech | 25 |
| Berberis | 5-23 |
| Betula | 23 |
| Bignonia | 36 |
| Biota | 20 |
| Birch | 23 |
| Bittersweet | 36 |
| Blackhaw | 36 |
| Blueberry | 35-37 |
| Boxwood | 5 |
| Bridel Wreath | 33 |
| Buckeye | 22 |
| Buddleia | 23 |
| Bush Clover | 28 |
| Butterfly Bush | 23 |
| Buxus | 5 |
| California Privet | 28 |
| Callicarpa | 23 |
| Calluna | 6 |
| Calycanthus | 23 |
| Carpinus | 23 |
| Catalpa | 23 |
| Cedar | 6-11 |
| Cedrus | 6 |
| Celastrus | 36 |
| Cephalotaxus | 7 |
| Cercidiphyllum | 23 |
| Cercis | 23 |
| Chamaecyparis | 7 |
| Cherries | 37 |
| Cherry, Flowering | 31 |
| Cherry, Weeping | 31 |
| Chionanthus | 23 |
| Clematis | 37 |
| Chokeberry | 22 |
| Clethra | 23 |
| Coffee Tree | 26 |
| Comptonia | 23 |
| Coral Berry | 34 |
| Cornelian Cherry | 24 |
| Cornus | 24 |
| Cotoneaster | 8-24 |
| Crab Apples, Flowering | 29 |
| Cranberry Bush | 38 |
| Crataegus | 24 |
| Cryptomeria | 8 |
| Currants | 37 |
| Cydonia | 25 |
| Cypress | 7 |
| Daphne | 8-25 |
| Deutzia | 25 |
| Devil's Walking Stick | 22 |
| Dogwood | 24 |
| Douglas Fir | 13 |
| Eleagnus | 25 |
| Elm | 35 |
| Enkianthus | 25 |
| Eucnynmus | 8-25 |
| Fagus | 25 |
| Fir | 4 |
| Firethorn | 13 |
| Fleece Vine | 37 |
| Forsythia | 26 |
| Franklinia | 27 |
| Fringetree | 23 |
| Funkia | 38 |
| Ginkgo | 26 |
| Gleditsia | 26 |
| Globe Flowers | 28 |
| Golden Bell | 26 |
| Golden Chain | 28 |
| Gordonia | 27 |
| Gooseberries | 37 |
| Grapes | 37 |
| Greenbriar | 37 |
| Gymnocladus | 26 |
| Hamamelis | 26 |
| Hawthorn | 25 |
| Heather | 6 |
| Hedera | 37 |
| Hemlock | 20 |
| Hibiscus | 26 |
| Holly | 9 |
| Hollygrape | 11 |
| Honeylocust | 26 |
| Honeysuckle | 37 |
| Hornbeam | 23 |
| Horsechestnut | 21 |
| Hosta | 38 |
| Hydrangea | 26 |
| Ilex | 9-27 |
| Inkberry | 9 |
| Ivy, Boston | 36 |
| Ivy, English | 37 |
| Jasmine | 28 |
| Jasminum | 28 |
| Juniper | 10 |
| Juniperus | 10 |
| Kalmia | 11 |
| Katsura Tree | 23 |
| Kerria | 28 |
| Koelreuteria | 28 |
| Kolkwitzia | 28 |

INDEX—Continued

| Page | Page |
|-------------------------|-------|
| Laburnum | 28 |
| Laurel | 11 |
| Leiophyllum | 11 |
| Lespedeza | 28 |
| Leucothoe | 11-28 |
| Ligustrum | 11-28 |
| Lilac | 34 |
| Linden | 34 |
| Liquidambar | 29 |
| Lonicera | 29-37 |
| Magnolia | 29 |
| Mahonia | 11 |
| Maidenhair Tree | 26 |
| Malus | 29 |
| Maple | 21 |
| Mock Orange | 30 |
| Morus | 29 |
| Mountain Ash | 33 |
| Mountain Laurel | 11 |
| Mulberry | 29 |
| Myrica | 30 |
| Nannyberry | 35 |
| Norway Maple | 21 |
| Nyssa | 30 |
| Oak | 31 |
| Olive Tree | 25 |
| Oxydendrum | 30 |
| Pachistima | 12 |
| Pachysandra | 12 |
| Paeonia | 38 |
| Peaches | 37 |
| Peach, Flowering | 22 |
| Pears | 37 |
| Peony | 38 |
| Periwinkle | 21 |
| Philadelphus | 30 |
| Picea | 12 |
| Pieris | 12-30 |
| Pine | 12 |
| Pinus | 12 |
| Plane Tree | 30 |
| Plaintain Lily | 38 |
| Platanus | 30 |
| Plum, Flowering | 30 |
| Plum, Yew | 7 |
| Plums | 37 |
| Polygonum | 37 |
| Poplar | 30 |
| Populus | 30 |
| Privet | 11-28 |
| Prunus | 30 |
| Pseudotsuga | 13 |
| Pyracantha | 13 |
| Quercus | 31 |
| Quince, Flowering | 25 |
| Quinces | 37 |
| Ramblers | 33 |
| Redbud | 23 |
| Retinospora | 7 |
| Rhododendron | 13 |
| Rhus | 31 |
| Rosa | 31 |
| Rose of Sharon | 26 |
| Roses | 32 |
| Salix | 33 |
| Sand Myrtle | 11 |
| Sciadopitys | 15 |
| Shadblow | 22 |
| Smilax | 37 |
| Snowball | 35-36 |
| Snowbell | 34 |
| Snowberry | 34 |
| Snow Garland | 33 |
| Sorbus | 33 |
| Sour Gum | 30 |
| Sourwood | 30 |
| Spiraea | 33 |
| Spruce | 12 |
| Spurge | 12 |
| Staggerbush | 30 |
| Stephanandra | 33 |
| Stewartia | 34 |
| Styrax | 34 |
| Sumac | 31 |
| Summersweet | 23 |
| Sweetbells | 28 |
| Sweetleaf | 23-34 |
| Sweet Fern | 23 |
| Sweet Shrub | 23 |
| Sweet Gum | 29 |
| Syphoricarpos | 34 |
| Symplocus | 34 |
| Syringa | 34 |
| Taxus | 15 |
| Thorn | 24 |
| Thuja | 18 |
| Tilia | 34 |
| Trumpet vine | 36 |
| Tsuga | 20 |
| Tupelo | 30 |
| Ulmus | 35 |
| Umbrella Pine | 15 |
| Vaccinium | 35 |
| Varnish Tree | 28 |
| Viburnum | 21-35 |
| Vinca | 21 |
| Virginia Creeper | 36 |
| Virgins-Bower | 37 |
| Wayfaring Tree | 35 |
| Weigela | 36 |
| Willow | 33 |
| Winterberry | 27 |
| Wintercreeper | 8 |
| Wisteria | 37 |
| Witch Hazel | 26 |
| Withe-Rod | 35 |
| Woodbine | 37 |
| Yellow Root | 36 |
| Yew | 15 |
| Zanthorrhiza | 36 |

Memo

